

ECO BIRDS

**ECOBIRDS:
LEADING BRAND
IN BIRD CONTROL**

BIRD NETS

ENG



POLYETHYLENE NETS



19 MM MESH

Material: polyethylene

Kind: twisted twine 6 strands thick (12/6)

Anti-UV protection 2% 540 kLy

Flame retardant UNI 9174

Colour: black or stone

28 MM MESH

Material: polyethylene

Kind: twisted twine 6 strands thick (12/6)

Anti-UV protection 2% 540 kLy

Flame retardant UNI 9174

Colour: black or stone

50 MM MESH

Material: polyethylene

Kind: twisted twine 6 strands thick (12/6)

Anti-UV protection 2% 540 kLy

Flame retardant UNI 9174

Colour: black or stone

DIMENSIONS

5 x 5 mt (16 x 16 ft)	15 x 15 mt (49 x 49 ft)
5 x 10 mt (16 x 33 ft)	15 x 20 mt (49 x 66 ft)
5 x 15 mt (16 x 49 ft)	15 x 25 mt (49 x 82 ft)
5 x 20 mt (16 x 66 ft)	20 x 20 mt (66 x 66 ft)
10 x 10 mt (33 x 33 ft)	20 x 25 mt (66 x 82 ft)
10 x 15 mt (33 x 49 ft)	25 x 30 mt (82 x 98 ft)
10 x 20 mt (33 x 66 ft)	30 x 30 mt (98 x 98 ft)



METAL NETS



COPPER

Material: copper

Thickness: 1 mm (0.04 in)

Mesh: 14 mm (0.55 in) diamond shape

Dimensions:

1 mt width x 10 mt length
(3.28 ft width x 33 ft length)

STAINLESS STEEL

Material: stainless steel

Thickness: 1 mm (0.04 in)

Mesh: 14 mm (0.55 in) diamond shape

Dimensions:

1 mt width x 10 mt length
(3.28 ft width x 33 ft length)

GALVANISED STEEL

Material: galvanised steel

Thickness: 1 mm (0.04 in)

Mesh: 13 mm (0.51 in)

DIMENSIONS

1 mt width x 25 mt length
(3.28 ft width x 82 ft length)

80 cm width x 25 mt length
(2.6 ft width x 82 ft length)

60 cm width x 25 mt length
(1.96 ft width x 82 ft length)

50 cm width x 25 mt length
(1.64 ft width x 82 ft length)



WIRE FIXING COMPONENTS

Mod. 61

Material: stainless steel

Diameter: M6

9 mm (0.35 in) drill bit

Mod. 63

Material: galvanised steel

Diameter: M6

9 mm (0.35 in) drill bit

Mod. 62

Material: stainless steel

Diameter: M8


11 mm (0.43 in) drill bit

Mod. 64

Material: galvanised steel

Diameter: M8

11 mm (0.43 in) drill bit



WIRE FIXING COMPONENTS



Mod. 54PIN

Material: stainless steel
Length: 60 mm (2.36 in)
6 mm (0.24 in) drill bit

Mod. 54PZN

Material: galvanised steel
Length: 60 mm (2.36 in)
6 mm (0.24 in) drill bit



Mod. 54

Material: stainless steel
Length: 35 mm (1.38 in)

WIRE FIXING COMPONENTS

Mod. 555

Material: galvanised steel

Thickness:
from 1.5 to 3 mm
(from 0.06 to 0.12 in)

Mod. 556

Material: galvanised steel

Thickness:
from 3 to 8 mm
(from 0.12 to 0.31 in)

Mod. 557


Material: galvanised steel

Thickness:
from 8 to 14 mm
(from 0.31 to 0.55 in)


Mod. 558

Material: galvanised steel

Thickness:
from 14 to 20 mm
(from 0.55 to 0.79 in)



WIRE FIXING COMPONENTS



Mod. 51

Material: stainless steel



Mod. 599

Material: galvanised steel

Thickness:
from 20 to 50 mm
(from 0.79 to 1.97 in)

WIRE FIXING COMPONENTS

Mod. 11

Material: aluminium

Length: 8 mm (0.31 in)

For 2 mm (0.08 in) wire

Mod. 13

Material: copper

Length: 8 mm (0.31 in)

For 2 mm (0.08 in) wire

Mod. 12

Material: copper

Length: 5 mm (0.19 in)

For 0.9 mm (0.035 in) wire



WIRE

Mod. 71

Material: stainless steel

Diameter: 0.9 mm (0.035 in)

Mod. 73

Material: stainless steel

Diameter: 2 mm (0.08 in)

Mod. 77

Material: galvanised steel

Diameter: 2 mm (0.08 in)



EYE & HOOK TURNBUCKLES

Mod. 32

Material: stainless steel

Dimension: M5

Mod. 33

Material: stainless steel

Dimension: M6

Mod. 35


Material: galvanised steel

Dimension: M5

Mod. 36

Material: galvanised steel

Dimension: M6



NET FIXING HOG RINGS

Mod. 41

Material: stainless steel

Mod. 42

Material: galvanised steel

Mod. 43

Material: aluminium

